

Brief Introduction

C2B is a PT camera for indoor security which always keeps an eye on what really matters inside your house. The built-in WiFi module makes it simple wiring in installation and easy to manage via mobile app of ZSmart. Besides, with the smart algorithm, Human detection and motion tracking as well as other alarm message notification function are available for this model.

With the all-in-one smart home platform app ZSmart, you can realize various of powerful and useful functions such as two-way audio, real-time status notification, HD live video or even review the activity with local or cloud storage if needed.

C2B is a economic and perfect choice for places like your apartment or villa.

Features



1080p Full-HD Enjoy amazingly sharp 1080p live video



Pan and Tilt Rotate and set the camera's point of view via App



Human Detection Filter out the mis-alarm objects and detect the human motion only



Night Vision See what's happening even in the dark



Local & Cloud Storage Store & review recent activity with local or cloud storage



Two-Way Audio Listen in or talk back and forth



Motion Tracking Keep tracking the subject when motion activity is detected

Specifications

Camera	Image Sensor	1/3" 2MP CMOS
	Min. Illumination	0.1Lux / F1.2
	Resolution	1920 * 1080 (1080p)
	P/T	355° horizontal, 75° vertical
	Preset Point	6
	Tour Plan	Manual / Scheduled
Lens	Focal Length	3.6 mm
	Field of View	100°(Diagonal) / 85°(Horizontal)
	Aperture	F2.0
Alarm	Motion Detection	Supported
	Human Detection	Supported
	Motion Track	Supported
Video	Video Compression	H.264
	Night Vision	10M IR Effective Distance, 6 IR LED
	Frame Rate	25f/s
	Flip	Supported
Audio	Audio Compression	G.711
	Pick-up Distance	5m
	Speaker	Built-in
	Two Way Audio	Supported
Network	Ethernet	1 RJ-45 port (10/100Mbps)
	Wireless Protocol	802.11b/g/n (2.4GHz Wi-Fi)
	Data Security	End-to-end encryption, HTTPS secure transfer protocol
	Protocol	WebRTC, RTSP, Onvif
	Cloud Storage	Supported (1 month free trial)
General	Local Storage	Supports 128GB TF card
	Power Supply	DC 5V 1.5A
	Power Consumption	2W
	Power Adapter Options	US / EU / UK
	Working Temperature	0℃ to 55℃
	Working Humidity	10% ~ 90%RH
	Regulatory Certifications	FCC, CE, RoHS

Applicable Scenarios




Living Room



Kid's Room

Dimensions (mm)





V1.0 11/09/2021